

Window and Door system

TROCAL 76. Centre seal system. AluClip Zero.

0

Image: Note of the sector of

Virtually flush glazing offset

Glazing from 48 - 56 mm.



Wood-aluminium look
Same glazing offset as for fixed glazing
Glazing from 36 - 50 mm.



All glass look
Sash and pane virtually flush mounted
Glazing from 36 - 50 mm.

TROCAL 76 AluClip Zero. Exactly my d esign.

AluClip Zero is a KBE 76 design variant that is unique on the market and has already been tried and tested in a number of building projects. Two different covers are available for the window line: one presenting a completely flush-mounted look and virtually flush glazing plane, a second with classical wood-aluminium look and the same glass plane as fixed glazing, and a third variant with all glass look.

- Three different design covers
- Glazing from 36 50 mm and from 48 - 56 mm
- U_f values 1.1–1.2 W/(m²K)
- Recyclable
- Patent application being processed

Compatibility enjoys high priority for this product as well: AluClip Zero draws from the 76 mm AluClip range, i.e. the tried and tested centre seal system is used for the mullion and floating mullion connections.

The new design variant AluClip Zero expands greatly the 76 mm system range specifically for demanding architectural projects and can bring its advantages to bear exactly where the aluminium look is just as important as the functional benefits of PVC-U.





- Flush look on residential doors as well
- U_D values in passive house range
- Door panel from 36 86 mm



profine GmbH

TROCAL Profilsysteme 53840 Troisdorf Phone: +49 2241 9953-0 Telefax: +49 2241 9953-3561 Email info@trocal-profile.de www.trocal-profile.de

